

University of Windsor

## Scholarship at UWindsor

---

UWill Discover Undergraduate Conference

UWill Discover 2017

---

Mar 31st, 1:00 PM - 2:00 PM

### Self-Destructing Polymers: Creating Thermally Sensitive End-Caps

Rose Anne Fayoumi

*University of Windsor*, [fayoumi@uwindsor.ca](mailto:fayoumi@uwindsor.ca)

Dr. John F. Trant

*University of Windsor*, [j.trant@uwindsor.ca](mailto:j.trant@uwindsor.ca)

Follow this and additional works at: <https://scholar.uwindsor.ca/uwilldiscover>



This work is licensed under a [Creative Commons Attribution-Noncommercial-No Derivative Works 4.0 License](https://creativecommons.org/licenses/by-nc-nd/4.0/).

---

Fayoumi, Rose Anne and Trant, Dr. John F., "Self-Destructing Polymers: Creating Thermally Sensitive End-Caps" (2017). *UWill Discover Undergraduate Conference*. 10.

<https://scholar.uwindsor.ca/uwilldiscover/2017/posters2017/10>

This Event is brought to you for free and open access by the Conferences and Conference Proceedings at Scholarship at UWindsor. It has been accepted for inclusion in UWill Discover Undergraduate Conference by an authorized administrator of Scholarship at UWindsor. For more information, please contact [scholarship@uwindsor.ca](mailto:scholarship@uwindsor.ca).

## **Self-Destructing Polymers: Creating Thermally Sensitive End-Caps**

Trant Team – Rose Anne Fayoumi

A broad and booming field of research and innovation, polymer science blends chemistry, physics and engineering and breeds countless modern materials and devices. Likewise, the degradation of these polymers is a field of interest due to the consideration of environmental, medical and economical factors. Nowadays, conventional biodegradable polymers degrade, but require an enzyme to cleave every single connection between monomers before complete disintegration. Numerous stimulus events are thus necessary, promoting inefficient and slow environmental degradation that can take weeks to years.

To address this, the Trant Team is developing a new class of polymers that self-destruct “on-demand” using organic chemistry. Only one stimulus event, removing the end, destabilizes the polymer, which leads it to quickly disintegrate in only a few hours. These self-immolative polymers hence need ends with a functionality that can be triggered, as the “push” required to initiate the domino-like effect. In our case, this push is an elevated temperature that causes the end-cap to destabilize and degrade. Elevated temperatures can be induced via intersecting laser beams or magnetic fields to create heat in desired areas. In addition, the optimal temperature for the degradation of each end-cap will be determined through kinetic studies.

Ultimately, specific reversible chemical reactions will be exploited to create such thermally-sensitive end-caps, allowing “on-demand” degradation of the polymer’s constituents by elevated temperatures. Accordingly, this innovation could potentially lead to endless possibilities and applications, including therapeutic, pharmaceutical, and biomedical applications. At this stage, however, it is too early to report findings as research and data collection are currently in progress. In spite of this, the presentation will review our preliminary results with this technology as well as shed light on its various potential applications.